






zleen



Bicycle Tire Catalog








teamwork

Born in the Czech Republic, grown from its renown tire and bicycle industry. Zleen & Ralson. European engineering married with 50 years of attentive and skilled tire building, innovation, and R&D. The true bicycle tire partnership taking advantage of the state-of-the-art equipment of the India's largest bicycle tire producer.





technology at its best

***Pro for competitive riders,
lightweight for bikees.***

Born tubeless

Airtight rubber compounds. Tubeless rim-optimized beads for low inflation pressure.

Rock-proof

Apex reinforced sidewalls and innovative bead-to-bead protection for highest impact damage durability.

Own compounding

Pro dual compounded treads for perfect steering response at every slope. Low rolling resistance and high grip compounds for roads.


Tough testing

Zleean won't settle for the average.




mission based

***Best tires don't need to be pricy.
Working hard to bring the most affordable
tires to the market and determined
to support our distributors.***





content



PRODUCT SELECTOR	08
XC/MARATHON	10
GRAVITY	16
GRAVEL	22
ROAD	28
CITY/TOUR	34
PRODUCT RANGE	40
TUBES	42
NOTES	44



product selector



XC/Marathon

	Mud	Rock	Hard	Loose	Soft	
Terrain	XC/Marathon/Trail	Tiger				
	XC/Marathon/Trail	Lion				
	XC/Marathon	Panther				
	XC/Marathon		Leopard			
	XC/Marathon			Cheetah		
	XC/Tour			Wildcat		
	XC/Tour			Lynx		

Gravity

	Mud	Rock	Hard	Soft	
Terrain	DH/Enduro	Hawk			
	AM/Trail	Tiger			
	AM/Trail	Lion			
	Enduro/Trail	Panther			
	Enduro/Trail	Falcon			

Gravel

	Loose	Dust	Paved
Terrain	Grassland	Wolf	
	Woods	Coyote	

Road

	Smooth	Rough
Surface	Race	Boa
	Competition	Taipan

zleen

XC/MARATHON





The background of the advertisement is black with several large, overlapping, jagged red outlines that resemble mountain peaks or a stylized terrain. The text is white and red, providing a high-contrast look.

zleen

XC/MARATHON

***Over the rocks and through the woods.
Marathon or cross country, Scaling up
or descending with ease. Like hunting
down prey or evading danger.***

***Light casing for contest, soft shoulder
and bead-to-bead protected for race.
eReady optional.***

**Zleén XC/MARATHON
and XC/MARATHON Pro**

Cheetah



Sidewall colors

- ↗ beige
- ↘ black
- ↗ grey



Leopard



Sidewall colors

- ↗ grey
- ↘ black
- ↗ beige



Tiger



Sidewall colors

- ↘ black



Lynx



Sidewall colors

- ↘ black



Wildcat



Sidewall colors

- ↘ black



Panther



Sidewall colors

- ↘ black



Lion



Sidewall colors


- ↘ black





eReady

- ⑦ Ebike-optional eReady series feature backcountry optimized low rolling resistance under-tread puncture protection. Enables effortless freedom of exploration. Reduces risk of tire defect.



XC/MARATHON PRO

- ① Aramid bead
- ② Tubeless
- ③ 120 TPI Skinwall casing
- ④ Bead-to-Bead impact damage protected
- ⑤ Dual compound 47/57

XC/MARATHON

- ① Aramid bead
- ② Tubeless optional
- ③ 60 TPI Skinwall casing

XC/MARATHON PRO

Size	Metric	Pattern	TPI	Sidewall	TL/TT	Bead	Puncture protected	Pp material	Impact protected	Tread color	Sidewall color	Special compaund	Inflation (kPa)	Load (kg)	Weight (g)
29 x 2.45	62-622	Panther	120	Skinwall	TL	A			BB	black	black	DC	350	140	900
29 x 2.45	62-622	Panther	120	Skinwall	TL	A				black	black	SRC	350	140	690
29 x 2.45	62-622	Panther	120	Skinwall	TL	A	2 mm	HE	BB	black	black		350	140	900
29 x 2.35	60-622	Tiger	120	Skinwall	TL	A			BB	black	black	DC	350	130	800
29 x 2.25	57-622	Leopard	120	Skinwall	TL	A			BB	black	black	DC	380	140	740
29 x 2.25	57-622	Leopard	120	Skinwall	TL	A			BB	black	beige	DC	380	140	740
29 x 2.25	57-622	Leopard	120	Skinwall	TL	A			BB	black	grey	DC	380	140	740
29 x 2.25	57-622	Leopard	120	Skinwall	TL	A				black	black	SRC	380	140	660
29 x 2.25	57-622	Cheetah	120	Skinwall	TL	A			BB	black	black	DC	380	140	740
29 x 2.25	57-622	Cheetah	120	Skinwall	TL	A			BB	black	beige	DC	380	140	740
29 x 2.25	57-622	Cheetah	120	Skinwall	TL	A			BB	black	grey	DC	380	140	740
29 x 2.25	57-622	Cheetah	120	Skinwall	TL	A				black	black	SRC	380	140	670
29 x 2.10	54-622	Lion	120	Skinwall	TL	A			BB	black	black	DC	350	135	720
27.5 x 2.45	62-584	Lion	120	Skinwall	TL	A			BB	black	black	DC	350	135	820
27.5 x 2.45	62-584	Panther	120	Skinwall	TL	A			BB	black	black	DC	350	135	850
27.5 x 2.45	62-584	Panther	120	Skinwall	TL	A	2 mm	HE	BB	black	black		350	135	820
27.5 x 2.25	57-584	Leopard	120	Skinwall	TL	A			BB	black	black	DC	380	135	705

XC/MARATHON

TT → Tube type TL → Tubeless A → Aramid bead BB → Bead-to-Bead impact damage protected HE → Highly elastic compound

DC → Dual compound SRC → Soft Race compound

29 x 2.45	62-622	Panther	60	Skinwall	TL	A				black	black		350	140	920
29 x 2.45	62-622	Panther	60	Skinwall	TL	A	2 mm	HE		black	black		350	140	930
29 x 2.45	62-622	Wildcat	60	Skinwall	TT	A				black	black		350	140	920
29 x 2.35	60-622	Tiger	60	Skinwall	TL	A				black	black		350	130	820
29 x 2.35	60-622	Lynx	60	Skinwall	TT	A				black	black		350	130	870
29 x 2.35	60-622	Wildcat	60	Skinwall	TT	A				black	black		350	130	890
29 x 2.25	57-622	Leopard	60	Skinwall	TL	A				black	black		380	140	800
29 x 2.25	57-622	Cheetah	60	Skinwall	TL	A				black	black		380	140	780
29 x 2.25	57-622	Lynx	60	Skinwall	TT	A				black	black		315	140	850
29 x 2.10	54-622	Lynx	60	Skinwall	TT	A				black	black		400	125	800
29 x 2.10	54-622	Wildcat	60	Skinwall	TT	A				black	black		350	125	770
27.5 x 2.45	62-584	Lion	60	Skinwall	TL	A				black	black		350	135	840
27.5 x 2.45	62-584	Panther	60	Skinwall	TL	A				black	black		350	135	870
27.5 x 2.45	62-584	Panther	60	Skinwall	TL	A	2 mm	HE		black	black		350	135	850
27.5 x 2.35	60-584	Lynx	60	Skinwall	TT	A				black	black		350	130	820
27.5 x 2.35	60-584	Wildcat	60	Skinwall	TT	A				black	black		350	130	830
27.5 x 2.25	57-584	Leopard	60	Skinwall	TL	A				black	black		380	135	760
27.5 x 2.25	57-584	Lynx	60	Skinwall	TT	A				black	black		315	135	810
27.5 x 2.10	54-584	Wildcat	60	Skinwall	TT	A				black	black		400	120	710
29 x 2.10	54-622	Wildcat	20	Fullwall	TT	TW	2 mm	HE		black	black		350	125	840

zleen
GRAVITY





zleen **GRAVITY**

***Up at the mountain tops circling like a bird,
then launching an attack. Flying over rocks
and drops at enormous speeds soon
reaching the bottom of the valley.
Perfected for predator-like grip.
Dual compounded wherever handy.
All apex reinforced.
Zleen Gravity and Gravity Pro.***

Lion

Sidewall colors
⚡ black



Tiger

Sidewall colors
⚡ black



Panther

Sidewall colors
⚡ black



Hawk

Sidewall colors
⚡ beige
⚡ black



Falcon

Sidewall colors
⚡ beige
⚡ black





GRAVITY PRO

- ① Reinforced aramid bead
- ② Tubeless
- ③ 120 TPI Skinwall casing
- ④ Bead-to-Bead impact damage protected
- ⑤ Dual compound 47/57
- ⑥ Apex reinforced sidewall



GRAVITY

- ① Aramid bead
- ② Tubeless optional
- ③ 60 TPI Skinwall casing
- ④ Bead-to-Bead impact damage protected
- ⑤ Apex reinforced

GRAVITY PRO

Size	Metric	Pattern	TPI	Sidewall	TL/TT	Bead	PP material	Impact protected	Sidewall reinforced	Tread color	Sidewall color	Special compaund	Inflation (kPa)	Load (kg)	Weight (g)
29 x 2.60	66-622	Hawk	120	Skinwall	TL	AR		BB	Apex	black	black	DC	320	150	1240
29 x 2.60	66-622	Hawk	120	Skinwall	TL	AR		BB	Apex	black	beige	DC	320	150	1240
29 x 2.50	64-622	Falcon	120	Skinwall	TL	AR		BB	Apex	black	black	DC	330	142	1210
29 x 2.50	64-622	Falcon	120	Skinwall	TL	AR		BB	Apex	black	beige	DC	330	142	1210
29 x 2.45	62-622	Hawk	120	Skinwall	TL	AR		BB	Apex	black	black	DC	350	140	1200
29 x 2.45	62-622	Hawk	120	Skinwall	TL	AR	2 plies	BB	Apex	black	black	SRC	350	160	1350
29 x 2.45	62-622	Hawk	120	DH Pro	TL	AR	2 plies	BB	Apex	black	black	SRC	350	160	1550
29 x 2.45	62-622	Panther	120	Skinwall	TL	AR		BB	Apex	black	black	DC	350	140	980
29 x 2.35	60-622	Tiger	120	Skinwall	TL	AR		BB	Apex	black	black	DC	350	135	880
27.5 x 2.60	66-584	Hawk	120	Skinwall	TL	AR		BB	Apex	black	black	DC	320	145	1150
27.5 x 2.60	66-584	Hawk	120	Skinwall	TL	AR		BB	Apex	black	beige	DC	320	145	1150
27.5 x 2.50	64-584	Falcon	120	Skinwall	TL	AR		BB	Apex	black	black	DC	330	137	1110
27.5 x 2.50	64-584	Falcon	120	Skinwall	TL	AR		BB	Apex	black	beige	DC	330	137	1110
27.5 x 2.45	62-584	Hawk	120	Skinwall	TL	AR		BB	Apex	black	black	DC	350	135	1020
27.5 x 2.45	62-584	Lion	120	Skinwall	TL	AR		BB	Apex	black	black	DC	350	135	900
27.5 x 2.45	62-584	Panther	120	Skinwall	TL	AR		BB	Apex	black	black	DC	350	135	930

GRAVITY

TL → Tubeless A → Aramid bead AR → Aramid reinforced bead BB → Bead-to-Bead impact damage protected DC → Dual compound SRC → Soft Race compound

29 x 2.35	60-622	Tiger	60	Skinwall	TL	A		BB	Apex	black	black		350	135	920
27.5 x 2.45	62-584	Lion	60	Skinwall	TL	A		BB	Apex	black	black		350	135	920


zleen
GRAVEL





zleen **GRAVEL**

Like a pack of wolves. Eyes on the horizon. Sniffing prey from afar. Through the gravel and dust, the time flies by set for another day. Silica based high grip tread compounds and bead-to-bead protected casings for race. Lightweight tires for effortless freedom of movement. Zleen Gravel and Gravel Pro.



Coyote

- Sidewall colors
- beige
 - black
 - grey



Wolf

- Sidewall colors
- beige
 - black
 - grey





GRAVEL PRO

- ① Aramid bead
- ② Tubeless
- ③ 120 TPI Skinwall casing
- ④ Bead-to-Bead impact damage protected
- ⑤ Soft Race compound

GRAVEL

- ① Aramid bead
- ② Tubeless optional
- ③ 60 TPI Skinwall casing

GRAVEL PRO

Size	Metric	Pattern	TPI	Sidewall	TL/TT	Bead	PP material	Impact protected	Sideway reinforced	Tread color	Sidewall color	Special compound	Inflation (kPa)	Load (kg)	Weight (g)
700 x 42C	44-622	Coyote	120	Skinwall	TL	A		BB		black	black	SRC	470	125	540
700 x 42C	44-622	Coyote	120	Skinwall	TL	A		BB		black	grey	SRC	470	125	545
700 x 40C	42-622	Wolf	120	Skinwall	TL	A		BB		black	black	SRC	500	120	520
700 x 40C	42-622	Wolf	120	Skinwall	TL	A		BB		black	grey	SRC	500	120	525
700 x 38C	40-622	Coyote	120	Skinwall	TL	A		BB		black	black	SRC	550	118	480
700 x 38C	40-622	Coyote	120	Skinwall	TL	A		BB		black	beige	SRC	550	118	485
700 x 35C	37-622	Wolf	120	Skinwall	TL	A		BB		black	black	SRC	600	115	450
700 x 35C	37-622	Wolf	120	Skinwall	TL	A		BB		black	beige	SRC	600	115	455

GRAVEL

TT → Tube type TL → Tubeless A → Aramid bead BB → Bead-to-Bead impact damage protected SRC → Soft Race compound

700 x 42C	44-622	Coyote	60	Skinwall	TT	A				black	black		470	125	640
700 x 40C	42-622	Wolf	60	Skinwall	TT	A				black	black		500	120	630
700 x 38C	40-622	Coyote	60	Skinwall	TT	A				black	black		550	118	580
700 x 35C	37-622	Wolf	60	Skinwall	TT	A				black	black		600	115	550


zleen
ROAD





zleen **ROAD**

Like a snake. The road winds through the countryside. Own deep breath. Sweating. The subtle humming of the tire on tarmac. Deep in the zone. Over the mountain ridges, through the valleys. Fighting strong winds head on no fears. The finish line is within the reach. Wet grip compounds. Bead-to-bead protected. Fast and reliable. Zleen Road and Road Pro.



Boa


Sidewall colors
⚡ black



Taipan

Sidewall colors
⚡ black





ROAD PRO

- ① Aramid bead
- ② Tubeless
- ③ 120 TPI Skinwall casing
- ④ Bead-to-Bead impact damage protected
- ⑤ Silica compound

ROAD

- ① Aramid bead
- ② Tubeless optional
- ③ 60 TPI Skinwall casing

ROAD PRO

Size	Metric	Pattern	TPI	Sidewall	TL/TT	Bead	Pp material	Impact protected	Sidewall reinforced	Tread color	Sidewall color	Special compaund	Inflation (kPa)	Load (kg)	Weight (g)
700 x 28C	28-622	Boa	120	Skinwall	TL	A		BB		black	black	SC	700	78	245
700 x 28C	28-622	Taipan	120	Skinwall	TL	A		BB		black	black	SC	700	78	245
700 x 25C	25-622	Boa	120	Skinwall	TL	A		BB		black	black	SC	800	75	225
700 x 25C	25-622	Taipan	120	Skinwall	TL	A		BB		black	black	SC	800	75	225

ROAD

TT → Tube type TL → Tubeless A → Aramid bead BB → Bead-to-Bead impact damage protected SC → Silica compound

700 x 28C	28-622	Boa	60	Skinwall	TT	A				black	black		700	78	335
700 x 28C	28-622	Taipan	60	Skinwall	TT	A				black	black		700	78	335
700 x 25C	25-622	Boa	60	Skinwall	TT	A				black	black		800	75	315
700 x 25C	25-622	Taipan	60	Skinwall	TT	A				black	black		800	75	315

zleen

CITY/TOUR





zleen **CITY/TOUR**

Pedaling through the concrete labyrinth. Biking throughout the urban maze, unlocking its hidden treasures with maximum comfort. Navigating the city streets, delivering food or mail, commuting to work. Or just simply experiencing the cities' beauty and wonders with family and friends. Safety at its best. eReady reinforced and puncture protected. Reflective safety strips. Durable mileage compounds. Zleen City and Tour.

Rat

Sidewall colors
↗ black



Bumblebee

Sidewall colors
↗ beige
↘ black



Fly

Sidewall colors
↗ black



Dingo

Sidewall colors
↗ black



Jackal

Sidewall colors
↗ black





CITY/ROAD

- ① Flexible steel bead
- ⑧ Hi vis reflective strip

eReady

- ⑦ Ebike-optional eReady series feature backcountry optimized low rolling resistance under-tread puncture protection. Enables effortless freedom of exploration. Reduces risk of tire defect.

CITY/TOUR

Size	Metric	Pattern	TPI	Sidewall	TL/TT	Bead	Puncture protected	PP material	Reflective strip	Tread color	Sidewall color	Special compaund	Inflation (kPa)	Load (kg)	Weight (g)
700 x 45C	47-622	Rat	20	Full	TT	TW	2 mm	HE	Hi Vis Reflex	black	black	O	350	125	950
700 x 45C	47-622	Jackal	20	Full	TT	TW	2 mm	HE	Hi Vis Reflex	black	black	O	350	125	940
700 x 45C	47-622	Dingo	20	Full	TT	TW	2 mm	HE	Hi Vis Reflex	black	black	O	350	125	900
700 x 45C	47-622	Bumblebee	20	Full	TT	TW	2 mm	HE	Hi Vis Reflex	black	black	O	350	125	910
700 x 45C	47-622	Bumblebee	20	Full	TT	TW	2 mm	HE	Hi Vis Reflex	cream	cream	C	350	125	920
700 x 45C	47-622	Fly	20	Full	TT	TW	2 mm	HE	Hi Vis Reflex	black	black	O	350	125	930
700 x 45C	47-622	Fly Black Neon	20	Full	TT	TW	2 mm	HE	Hi Vis Reflex	black	black	O	350	125	930
700 x 40C	42-622	Rat	20	Full	TT	TW	2 mm	HE	Hi Vis Reflex	black	black	O	520	115	880
700 x 40C	42-622	Jackal	20	Full	TT	TW	2 mm	HE	Hi Vis Reflex	black	black	O	520	115	900
700 x 40C	42-622	Dingo	20	Full	TT	TW	2 mm	HE	Hi Vis Reflex	black	black	O	520	115	850
700 x 40C	42-622	Fly	20	Full	TT	TW	2 mm	HE	Hi Vis Reflex	black	black	O	520	115	860
700 x 40C	42-622	Fly Black Neon	20	Full	TT	TW	2 mm	HE	Hi Vis Reflex	black	black	O	520	115	860
700 x 35C	37-622	Rat	20	Full	TT	TW	2 mm	HE	Hi Vis Reflex	black	black	O	520	110	760
700 x 35C	37-622	Jackal	20	Full	TT	TW	2 mm	HE	Hi Vis Reflex	black	black	O	520	110	840
700 x 35C	37-622	Dingo	20	Full	TT	TW	2 mm	HE	Hi Vis Reflex	black	black	O	520	110	770
700 x 35C	37-622	Fly	20	Full	TT	TW	2 mm	HE	Hi Vis Reflex	black	black	O	520	110	790
700 x 35C	37-622	Fly Black Neon	20	Full	TT	TW	2 mm	HE	Hi Vis Reflex	black	black	O	520	110	790
700 x 32C	32-622	Dingo	20	Full	TT	TW	2 mm	HE	Hi Vis Reflex	black	black	O	650	90	700
700 x 32C	32-622	Fly	20	Full	TT	TW	2 mm	HE	Hi Vis Reflex	black	black	O	520	110	740
700 x 32C	32-622	Fly Black Neon	20	Full	TT	TW	2 mm	HE	Hi Vis Reflex	black	black	O	520	110	740
700 x 28C	28-622	Fly	20	Full	TT	TW	2 mm	HE	Hi Vis Reflex	black	black	O	520	110	700
28 x 2.10	54-622	Bumblebee	20	Full	TT	TW	2 mm	HE	Hi Vis Reflex	black	black	O	380	125	1 090
28 x 2.10	54-622	Bumblebee	20	Full	TT	TW	2 mm	HE	Hi Vis Reflex	cream	cream	C	380	125	1 100
26 x 1.75 x 2	47-559	Bumblebee	20	Full	TT	TW	2 mm	HE	Hi Vis Reflex	black	black	O	350	120	810
26 x 1.75 x 2	47-559	Bumblebee	20	Full	TT	TW	2 mm	HE	Hi Vis Reflex	cream	cream	C	350	120	820

TT → Tube type TW → Twisted weel wire HE → Highly elastic compound O → Optimal compoud C → Classic compound

PRODUCT RANGE


Segment	Size	Metric	Pattern	TPI	Sidewall	TL/TT	Bead	Puncture protected	PP material	Impact protected	Sidewall reinforced	Reflective strip	Tread color	Sidewall color	Special Compound	Inflation (kPa)	Load (kg)	Weight (g)
XC/MARATHON	29 x 2.45	62-622	Panther	120	Skinwall	TL	A			BB			black	black	DC	350	140	900
XC/MARATHON	29 x 2.45	62-622	Panther	120	Skinwall	TL	A						black	black	SRC	350	140	690
XC/MARATHON	29 x 2.45	62-622	Panther	60	Skinwall	TL	A						black	black		350	140	920
XC/MARATHON	29 x 2.45	62-622	Panther	120	Skinwall	TL	A	2 mm	HE	BB			black	black		350	140	900
XC/MARATHON	29 x 2.45	62-622	Panther	60	Skinwall	TL	A	2 mm	HE				black	black		350	140	930
XC/MARATHON	29 x 2.45	62-622	Wildcat	60	Skinwall	TT	A						black	black		350	140	920
XC/MARATHON	29 x 2.35	60-622	Tiger	120	Skinwall	TL	A			BB			black	black	DC	350	130	800
XC/MARATHON	29 x 2.35	60-622	Tiger	60	Skinwall	TL	A						black	black		350	130	820
XC/MARATHON	29 x 2.35	60-622	Lynx	60	Skinwall	TT	A						black	black		350	130	870
XC/MARATHON	29 x 2.35	60-622	Wildcat	60	Skinwall	TT	A						black	black		350	130	890
XC/MARATHON	29 x 2.25	57-622	Leopard	120	Skinwall	TL	A			BB			black	black	DC	380	140	740
XC/MARATHON	29 x 2.25	57-622	Leopard	120	Skinwall	TL	A			BB			black	beige	DC	380	140	740
XC/MARATHON	29 x 2.25	57-622	Leopard	120	Skinwall	TL	A			BB			black	grey	DC	380	140	740
XC/MARATHON	29 x 2.25	57-622	Leopard	120	Skinwall	TL	A						black	black	SRC	380	140	660
XC/MARATHON	29 x 2.25	57-622	Leopard	60	Skinwall	TL	A						black	black		380	140	800
XC/MARATHON	29 x 2.25	57-622	Cheetah	120	Skinwall	TL	A			BB			black	black	DC	380	140	740
XC/MARATHON	29 x 2.25	57-622	Cheetah	120	Skinwall	TL	A			BB			black	beige	DC	380	140	740
XC/MARATHON	29 x 2.25	57-622	Cheetah	120	Skinwall	TL	A			BB			black	grey	DC	380	140	740
XC/MARATHON	29 x 2.25	57-622	Cheetah	120	Skinwall	TL	A						black	black	SRC	380	140	670
XC/MARATHON	29 x 2.25	57-622	Cheetah	60	Skinwall	TL	A						black	black		380	140	780
XC/MARATHON	29 x 2.25	57-622	Lynx	60	Skinwall	TT	A						black	black		315	140	850
XC/MARATHON	29 x 2.1	54-622	Lion	120	Skinwall	TL	A			BB			black	black	DC	250	135	720
XC/MARATHON	29 x 2.10	54-622	Lynx	60	Skinwall	TT	A						black	black		400	125	800
XC/MARATHON	29 x 2.10	54-622	Wildcat	20	Fullwall	TT	TW	2 mm	HE				black	black		350	125	840
XC/MARATHON	29 x 2.10	54-622	Wildcat	60	Skinwall	TT	A						black	black		350	125	770
XC/MARATHON	27.5 x 2.45	62-584	Lion	120	Skinwall	TL	A			BB			black	black	DC	350	135	820
XC/MARATHON	27.5 x 2.45	62-584	Lion	60	Skinwall	TL	A						black	black		350	135	840
XC/MARATHON	27.5 x 2.45	62-584	Panther	120	Skinwall	TL	A			BB			black	black	DC	350	135	850
XC/MARATHON	27.5 x 2.45	62-584	Panther	60	Skinwall	TL	A						black	black		350	135	870
XC/MARATHON	27.5 x 2.45	62-584	Panther	120	Skinwall	TL	A	2 mm	HE	BB			black	black		350	135	820
XC/MARATHON	27.5 x 2.45	62-584	Panther	60	Skinwall	TL	A	2 mm	HE				black	black		350	135	850
XC/MARATHON	27.5 x 2.35	60-584	Lynx	60	Skinwall	TT	A						black	black		350	130	820
XC/MARATHON	27.5 x 2.35	60-584	Wildcat	60	Skinwall	TT	A						black	black		350	130	830
XC/MARATHON	27.5 x 2.25	57-584	Leopard	120	Skinwall	TL	A			BB			black	black	DC	380	135	705
XC/MARATHON	27.5 x 2.25	57-584	Leopard	60	Skinwall	TL	A						black	black		380	135	760
XC/MARATHON	27.5 x 2.25	57-584	Lynx	60	Skinwall	TT	A						black	black		315	135	810
XC/MARATHON	27.5 x 2.10	54-584	Wildcat	60	Skinwall	TT	A						black	black		400	120	710
GRAVITY	29 x 2.60	66-622	Hawk	120	Skinwall	TL	AR			BB			black	black	DC	320	150	1240
GRAVITY	29 x 2.60	66-622	Hawk	120	Skinwall	TL	AR			BB	Apex		black	beige	DC	320	150	1240
GRAVITY	29 x 2.50	64-622	Falcon	120	Skinwall	TL	AR			BB	Apex		black	black	DC	330	142	1210
GRAVITY	29 x 2.50	64-622	Falcon	120	Skinwall	TL	AR			BB	Apex		black	beige	DC	330	142	1210
GRAVITY	29 x 2.45	62-622	Hawk	120	Skinwall	TL	AR			BB	Apex		black	black	DC	350	140	1200
GRAVITY	29 x 2.45	62-622	Hawk	120	Skinwall	TL	AR		2 plies	BB	Apex		black	black	SRC	350	160	1350
GRAVITY	29 x 2.45	62-622	Hawk	120	DH Pro	TL	AR		2 plies	BB	Apex		black	black	SRC	350	160	1550
GRAVITY	29 x 2.45	62-622	Panther	120	Skinwall	TL	AR			BB	Apex		black	black	DC	350	140	980
GRAVITY	29 x 2.35	60-622	Tiger	120	Skinwall	TL	AR			BB	Apex		black	black	DC	350	135	880
GRAVITY	29 x 2.35	60-622	Tiger	60	Skinwall	TL	AR			BB	Apex		black	black		350	135	920
GRAVITY	27.5 x 2.60	66-584	Hawk	120	Skinwall	TL	AR			BB	Apex		black	black	DC	320	145	1150
GRAVITY	27.5 x 2.60	66-584	Hawk	120	Skinwall	TL	AR			BB	Apex		black	beige	DC	320	145	1150
GRAVITY	27.5 x 2.50	64-584	Falcon	120	Skinwall	TL	AR			BB	Apex		black	black	DC	330	137	1110
GRAVITY	27.5 x 2.50	64-584	Falcon	120	Skinwall	TL	AR			BB	Apex		black	beige	DC	330	137	1110

GRAVITY	27.5 x 2.45	62-584	Hawk	120	Skinwall	TL	AR			BB	Apex		black	black	DC	350	135	1 020
GRAVITY	27.5 x 2.45	62-584	Lion	120	Skinwall	TL	AR			BB	Apex		black	black	DC	350	135	900
GRAVITY	27.5 x 2.45	62-584	Lion	60	Skinwall	TL	A			BB	Apex		black	black		350	135	920
GRAVITY	27.5 x 2.45	62-584	Panther	120	Skinwall	TL	AR			BB	Apex		black	black	DC	350	135	930
GRAVEL	700 x 42C	44-622	Coyote	120	Skinwall	TL	A			BB	Apex		black	black	SRC	470	125	540
GRAVEL	700 x 42C	44-622	Coyote	120	Skinwall	TL	A			BB			black	grey	SRC	470	125	545
GRAVEL	700 x 42C	44-622	Coyote	60	Skinwall	TT	A						black	black		470	125	640
GRAVEL	700 x 40C	42-622	Wolf	120	Skinwall	TL	A			BB			black	black	SRC	500	120	520
GRAVEL	700 x 40C	42-622	Wolf	120	Skinwall	TL	A			BB			black	grey	SRC	500	120	525
GRAVEL	700 x 40C	42-622	Wolf	60	Skinwall	TT	A						black	black		500	120	630
GRAVEL	700 x 38C	40-622	Coyote	120	Skinwall	TL	A			BB			black	black	SRC	550	118	480
GRAVEL	700 x 38C	40-622	Coyote	120	Skinwall	TL	A			BB			black	beige	SRC	550	118	485
GRAVEL	700 x 38C	40-622	Coyote	60	Skinwall	TT	A						black	black		550	118	580
GRAVEL	700 x 35C	37-622	Wolf	120	Skinwall	TL	A			BB			black	black	SRC	600	115	450
GRAVEL	700 x 35C	37-622	Wolf	120	Skinwall	TL	A			BB			black	beige	SRC	600	115	455
GRAVEL	700 x 35C	37-622	Wolf	60	Skinwall	TT	A						black	black		600	115	550
ROAD	700 x 28C	28-622	Boa	120	Skinwall	TL	A			BB			black	black	SC	700	78	245
ROAD	700 x 28C	28-622	Boa	60	Skinwall	TT	A						black	black		700	78	335
ROAD	700 x 28C	28-622	Taipan	120	Skinwall	TL	A			BB			black	black	SC	700	78	245
ROAD	700 x 28C	28-622	Taipan	60	Skinwall	TT	A						black	black		700	78	335
ROAD	700 x 25C	25-622	Boa	120	Skinwall	TL	A			BB			black	black	SC	800	75	225
ROAD	700 x 25C	25-622	Boa	60	Skinwall	TT	A						black	black		800	75	315
ROAD	700 x 25C	25-622	Taipan	120	Skinwall	TL	A			BB			black	black	SC	800	75	225
ROAD	700 x 25C	25-622	Taipan	60	Skinwall	TT	A						black	black		800	75	315
CITY/TOUR	700 x 45C	47-622	Rat	20	Full	TT	TW	2 mm	HE		Hi Vis Reflex		black	black		350	125	950
CITY/TOUR	700 x 45C	47-622	Jackal	20	Full	TT	TW	2 mm	HE		Hi Vis Reflex		black	black		350	125	940
CITY/TOUR	700 x 45C	47-622	Dingo	20	Full	TT	TW	2 mm	HE		Hi Vis Reflex		black	black		350	125	900
CITY/TOUR	700 x 45C	47-622	Bumblebee	20	Full	TT	TW	2 mm	HE		Hi Vis Reflex		black	black		350	125	910
CITY/TOUR	700 x 45C	47-622	Bumblebee	20	Full	TT	TW	2 mm	HE		Hi Vis Reflex	cream	cream		350	125	920	
CITY/TOUR	700 x 45C	47-622	Fly	20	Full	TT	TW	2 mm	HE		Hi Vis Reflex		black	black		350	125	930
CITY/TOUR	700 x 45C	47-622	Fly Black Neon	20	Full	TT	TW	2 mm	HE		Hi Vis Reflex		black	black		350	125	930
CITY/TOUR	700 x 40C	42-622	Rat	20	Full	TT	TW	2 mm	HE		Hi Vis Reflex		black	black		520	115	880
CITY/TOUR	700 x 40C	42-622	Jackal	20	Full	TT	TW	2 mm	HE		Hi Vis Reflex		black	black		520	115	900
CITY/TOUR	700 x 40C	42-622	Dingo	20	Full	TT	TW	2 mm	HE		Hi Vis Reflex		black	black		520	115	850
CITY/TOUR	700 x 40C	42-622	Fly	20	Full	TT	TW	2 mm	HE		Hi Vis Reflex		black	black		520	115	860
CITY/TOUR	700 x 40C	42-622	Fly Black Neon	20	Full	TT	TW	2 mm	HE		Hi Vis Reflex		black	black		520	115	860
CITY/TOUR	700 x 35C	37-622	Rat	20	Full	TT	TW	2 mm	HE		Hi Vis Reflex		black	black		520	110	760
CITY/TOUR	700 x 35C	37-622	Jackal	20	Full	TT	TW	2 mm	HE		Hi Vis Reflex		black	black		520	110	840
CITY/TOUR	700 x 35C	37-622	Dingo	20	Full	TT	TW	2 mm	HE		Hi Vis Reflex		black	black		520	110	770
CITY/TOUR	700 x 35C	37-622	Fly	20	Full	TT	TW	2 mm	HE		Hi Vis Reflex		black	black		520	110	790
CITY/TOUR	700 x 35C	37-622	Fly Black Neon	20	Full	TT	TW	2 mm	HE		Hi Vis Reflex		black	black		520	110	790
CITY/TOUR	700 x 32C	32-622	Dingo	20	Full	TT	TW	2 mm	HE		Hi Vis Reflex		black	black		650	90	700
CITY/TOUR	700 x 32C	32-622	Fly	20	Full	TT	TW	2 mm	HE		Hi Vis Reflex		black	black		520	110	740
CITY/TOUR	700 x 32C	32-622	Fly Black Neon	20	Full	TT	TW	2 mm	HE		Hi Vis Reflex		black	black		520	110	740
CITY/TOUR	700 x 28C	28-622	Fly	20	Full	TT	TW	2 mm	HE		Hi Vis Reflex		black	black		520	110	700
CITY/TOUR	28 x 2.10	54-622	Bumblebee	20	Full	TT	TW	2 mm	HE		Hi Vis Reflex		black	black		380	125	1 090
CITY/TOUR	28 x 2.10	54-622	Bumblebee	20	Full	TT	TW	2 mm	HE		Hi Vis Reflex	cream	cream		380	125	1 100	
CITY/TOUR	26 x 1.75 x 2	47-559	Bumblebee	20	Full	TT	TW	2 mm	HE		Hi Vis Reflex		black	black		350	120	810
CITY/TOUR	26 x 1.75 x 2	47-559	Bumblebee	20	Full	TT	TW	2 mm	HE		Hi Vis Reflex	cream	cream		350	120	820	


TT – Tube type TL – Tubeless A – Aramid bead AR – Aramid reinforced bead TW – Twisted steel wire BB – Bead-to-Bead impact damage protected HE – Highly elastic compound DC – Dual compound SC – Silica compound SRC – Soft race compound

← tubes


AV




SV




FV




DV



SV 45/45



DV 45/45



ZLEEN TUBES

Size range	Size	Size metric	Valve	Width (mm)	Thickness (mm)	Weight (g)
29"	29 x 2.25-2.50	57/64-622	AV40	50	0,90	229
	29 x 2.25-2.50	54/64-622	AV48	50	0,90	229
	29 x 2.25-2.50	54/64-622	SV48	50	0,90	212
	29 x 2.25-2.50	57/64-622	FV47	50	0,90	229
	29 x 2.25-2.50	57/64-622	FV60	50	0,90	231
	28/29 x 1.75-2.25	44/57-622	AV40	44	0,90	202
	28/29 x 1.75-2.25	44/57-622	SV48	44	0,90	185
	28/29 x 1.75-2.25	44/57-622	AV48	44	0,90	183
	28/29 x 1.75-2.25	44/57-622	FV47	44	0,90	202
28/29 x 1.75-2.25	44/57-622	FV60	44	0,90	204	
28"	28 x 1.25-1.75	32/44-622/635	AV40	39	0,90	179
	28 x 1.25-1.75	32/44-622/635	AV48	39	0,90	181
	28 x 1.25-1.75	32/44-622/635	DV40	39	0,90	179
	28 x 1.25-1.75	32/44-622/635	FV47	39	0,90	179
	700 x 18/28C	18/28-622/635	FV47	24	0,90	106
	700 x 18/28C	18/28-622/635	FV60	24	0,90	108
27,5"	27.5 x 2.25-2.50	57/64-584	AV40	50	0,90	216
	27.5 x 2.25-2.50	57/64-584	AV48	50	0,90	216
	27.5 x 2.25-2.50	57/64-584	SV48	50	0,90	195
	27.5 x 2.25-2.50	57/64-584	FV47	50	0,90	216
	27.5 x 2.25-2.50	57/64-584	FV60	50	0,90	218
	27.5 x 1.75-2.25	44/57-584/597	AV40	44	0,90	191
	27.5 x 1.75-2.25	44/57-584/597	AV48	44	0,90	191
	27.5 x 1.75-2.25	44/57-584/597	SV48	44	0,90	175
	27.5 x 1.75-2.25	44/57-584/597	FV47	44	0,90	191
	27.5 x 1.75-2.25	44/57-584/597	FV60	44	0,90	193
	26 x 1_3/8	32/44-584/597	AV40	39	0,90	167
	26 x 1_3/8	32/44-584/597	DV40	39	0,90	167
26"	26 x 1.75-2.25	44/57-559	AV40	44	0,90	178
	26 x 1.75-2.25	44/57-559	AV48	44	0,90	178
	26 x 1.75-2.25	44/57-559	DV40	44	0,90	180
	26 x 1.75-2.25	44/57-559	FV47	44	0,90	178
	24 x 1_3/8	32/44-540/559	AV40	39	0,90	159
	24 x 1_3/8	32/44-540/559	DV40	39	0,90	159
24"	24 x 1.75-2.25	44/57-507	AV40	44	0,90	170
	24 x 1.75-2.25	44/57-507	DV40	44	0,90	172
20"	20 x 1.75-2.25	44/57-406	AV40	44	0,90	141
	20 x 1.75-2.25	44/57-406	DV40	44	0,90	143
16"	16 x 1.75-2.25	44/57-305	AV40	44	0,90	112
	16 x 1.75-2.25	44/57-305	DV40	44	0,90	114
14"	14 x 1.75-2.125	44/57-254/288	AV40	44	0,90	97
	14 x 1.75-2.125	44/57-254/288	DV40	44	0,90	99
12,5"	12.1/2 x 1.75-2.25	44/57-203	AV35	44	0,90	83
	12.1/2 x 1.75-2.25	44/57-203	DV35	44	0,90	85
10"	10 x 1.75-2.00		SV45/45	39	1,10	66
	10 x 1.75-2.00		DV45/45	39	1,10	66

ZLEEN DH TUBES

Size range	Size	Size metric	Valve	Width (mm)	Thickness (mm)	Weight (g)
29"	29 x 2.30-2.90	58/74-622	AV40	58	1,20	348
	29 x 2.30-2.90	58/74-622	FV47	58	1,20	348
27,5"	27.5 x 2.30-2.90	58/74-584	AV40	58	1,20	235
	27.5 x 2.30-2.90	58/74-584	FV47	58	1,20	335


ZLEEN TUBES FOR FAT TIRES

Size range	Size	Size metric	Valve	Width (mm)	Thickness (mm)	Weight (g)
29"	29 x 2.45-3.35	62/85-622	AV40	68	1,40	465
	29 x 2.45-3.35	62/85-622	SV40	68	1,40	465
26"	26 x 3.50-4.00	89/100-559	AV40	99	1,40	576
	26 x 3.50-4.00	89/100-559	SV40	99	1,40	576
	26 x 3.00-3.45	76/88-559	AV40	78	1,40	446
	26 x 3.00-3.45	76/88-559	SV40	78	1,40	446
24"	24 x 3.50-4.00	89/100-507	AV40	101	1,40	524
	24 x 3.50-4.00	89/100-507	SV40	101	1,40	524
	24 x 3.00-3.45	76/88-507	AV40	78	1,40	399
20"	24 x 3.00-3.45	76/88-507	SV40	78	1,40	399
	20 x 3.50-4.00	89/100-406	AV40	97	1,40	395
	20 x 3.50-4.00	89/100-406	SV40	97	1,40	395
	20 x 3.00-3.45	76/88-406	AV40	82	1,40	351
	20 x 3.00-3.45	76/88-406	SV40	82	1,40	351



notes

zleen



Zleen Europe s.r.o.
Antala Staška 2027/79
140 00 Prague 4
Czech Republic

+420 242 443 422
zleen.cares@zleen.online
zleen.online